# **Active Components**

North America Price List - February 2023




## Electronic Update Page - Active Components Price Book

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All New pages will be placed at the back of the document.

Link	Date	Pages	Description
Click Here	October 2023	7, 8, 9, 11-15, 27, 31, 44-48, 63-64, 70-71	Update - Various Active Components Products have been obsoleted effective October 2023.

## **Haworth Price Book Overview**

## Tips for Using Haworth Price Books



## Haworth Price Books are organized into the following sections:

#### **Price List Section**



## Statement of Line Provides a visual overview

of the product offering.



Price List Includes product features, specification tips, catalog numbers and list pricing.

#### **Resources Section**



Index Lists products alphabetically by catalog number.



**Terms of Sale**Provides warranty information and general terms.

This Page Intentionally Left Blank

## **HAWORTH**

## **Active Components Price List**

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Active Components.

**Desk-Height Storage** 

**Desk-Height Storage Support** 

**Accessories** 

Screens

Suspended Storage

**Accessories** 

Floating Shelves

**Electrical Components** 

## **Table of Contents**


Price List	
Statement of Line	7
Desk-Height Storage	
Nook — Open — Single Sided Solid or with Accessory Slot	
Nook — Open — Dual Sided Solid or with Accessory Slot	
Nook — Enclosed — Single Sided Solid or with Accessory Slot	
Nook — Enclosed — Dual Sided Solid or with Accessory Slot	
	Ü
Desk-Height Storage Support Intuity Benching and A Series Storage — Stanchion	16
Intuity Benching — Worksurface to Storage Bracket —	U
Access Hatch Mid-Mod Mount	17
Intuity Benching — Worksurface to Storage Bracket —	
without Access Hatch 1	17
Intuity Benching — Accessory Rail Mounting Bracket Kit,	
Double Sided	17
Compose 26" (660mm)H Panel, Connections and Beam —	
Centered Single Panel Mount — Stanchion — Standard Aluminum Top Trim	IQ.
Compose 26" (660mm)H Panel, Connections and Beam —	0
Centered Single Panel Mount — Stanchion — Work Rail Top Trim 1	8
Compose 26"(660mm)H Panel, Connections and Beam —	
Centered Single Panel Mount — Worksurface to Storage Bracket 1	9
Compose 26"(660mm)H Panel, Connections and Beam —	_
Off-Modular Rail Mounting — Worksurface to Storage Bracket 2	0
Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — Off-Modular Stanchion —	
Aluminum Top Trim	21
Compose 26"(660mm)H Panel, Connections and Beam —	
Off-Modular Rail Mounting — Off-Modular Stanchion —	
Work Rail Top Trim	21
Compose 26"(660mm)H Panel, Connections and Beam —	
Off-Modular Rail Mounting — Off-Modular Rail — Compose	
to Open Nook	.2
Off-Modular Rail Mounting — End Cap, Off-Modular Rail —	
Open Nook	22
Compose Full Panel — Off-Modular Rail Mounting —	
Off-Modular Mounting — Compose Full Panel to Nook	23
Compose Full Panel — Off-Modular Mounting — Spacer —	
Compose Full Panel to Nook	23
Screens	
Personal Divider with Drawer	
Center Screen	
Territory Screen	
Inner Accessory Screen	
Floating Shelves	
External Mount	27
Suspended Storage	
Security Drawer	28
Security Drawer — Top Liner — Security Drawer	28
Pedestal — Open or Open with Box Drawer	9
Pedestal — Box/File Drawers	
Pedestal Accessories — Top Liner	
Ender — Box/Open or Box/File         3           Ender Accessories — Top Liner         3	
Ender Accessories — Top Liner	
	-
Accessories Magnetic Divider	20
Drawer Liner	
Personal Storage Hook	
File Partition	
Drawer Tray 3	4
Shelf Divider	4


Electrical Components  Mini Tap — Corded and Hardwire
Resources
Finishes Finish Color Legend
Index
Warranty Lifetime Product Warranty




## **Desk-Height Storage**

Pages 11-15










## **Desk-Height Storage Support**

Pages 16-23






Intuity Benching and A Series Storage — Stanchions







Intuity Benching — Worksurface to Storage Bracket — without Access Hatch



Intuity Benching — Accessory Rail Mounting Bracket Kit, Double Sided




Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount — Stanchion — Standard Aluminum



Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount — Stanchion — Work Rail Top Trim



Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount — Worksurface to Storage Bracket



Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — Worksurface to Storage Bracket



Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — Off-Modular Stanchion — Aluminum Top Trim





Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — Off-Modular Stanchion — Work Rail Top Trim




Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — Off-Modular Rail — Compose to Open Nook



Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — End Cap, Off-Modular Rail — Open Nook




Compose Full Panel — Off-Modular Mounting — Off-Modular Mounting — Compose Full Panel to Nook




Compose Full Panel — Off-Modular Mounting — Spacer — Compose Full Panel to Nook

#### **Screens**

Pages 24-26




Personal Divider with Drawer




Center Screen



Corner Screen



Territory Screen



Inner Accessory Screen

## Floating Skelves Page 27





## **Suspended Storage**


Pages 28-32



Security Drawer



Security Drawer — Top Liner — Security Drawer




 ${\bf Pedestal-Open\ or\ Open\ with\ Box\ Drawer}$ 



Pedestal — Box/File Drawers



Pedestal Accessories — Top Liner





Ender Accessories — Top Liner



Ender Accessories — Reference Shelf

### **Accessories**

Pages 33-34




Magnetic Divider







Personal Storage Hook



File Partition





Shelf Divider

## **Electrical Components**

Page 35










Mini Tap — Corded and Hardwire



### Nook — Open

## Single Sided Solid or with Accessory Slot



AU1A-14

#### **Features**

- · Includes a steel shroud and two painted MDF shelves.
- Nooks 48"(1219mm)W and greater have a center divider in cubby.
- · Divider finish matches shelf.
- Shroud is available solid or with accessory slot.
- · Shroud is open on one side.
- Accessory slots start two inches from the top of the shroud.

#### **Specification Tips**

- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose full panel, Connections and Beam.
- Can be mounted on A Series storage.
- · Nooks cannot be flush mounted to a worksurface; must use stanchion.
- · Nook support:
  - -A Series requires stanchion support.
- Intuity requires stanchions, an application specific support bracket and the accessory rail mounting bracket.
- -Compose 26"(660mm)H Panel, Connections and Beam require stanchions and a support bracket, for on and off modular appliances appropriate components.
- -Compose requires Off Modular Top Trim (UZCC-\_\_ AA). 10-acer fo Compose to Active Component Nook.
- Access hatch on Intuity will clear nook.
- When Nooks are in a side-by-side application, or the next width smaller than the width of the worksurface.
- Refer to the Specification Guide for more angular of product line.

#### To Order, Specify:

1) Product number, including:

#### 1 Shroud Type:

**S** Solid

A Accessory Slot


(add .57 lis

2) Shroudt 1

3) Bo on he he der MDF color.

or is surface grades, determined by the sum

the upharges. Please refer to the




AOU1A-S Class IN - GSA; Open Market

Nominal	N	Nominal		Shrou Shelf -	d - Trim A MDF	Shrou Shelf -	d - Trim B · MDF
Height	Depth	Width	Number 0	Α	В	Α	В
14.25"(362mn	12"(* ómm)	24"(610mm)	AU1A-1424-S PN	\$ 798.88	\$ 830.25	\$ 816.51	\$ 847.88
		30"(762mm)	AU1A-1430-S PN	874.66	914.07	894.87	934.28
		36"(914mm)	AU1A-1436-S PN	950.44	997.89	973.23	1020.68
	V	42"(1067mm)	AU1A-1442-S PN	1079.18	1134.67	1104.55	1160.04
		48"(1219mm)	AU1A-1448-S PN	1154.96	1218.49	1182.91	1246.44
		51"(1295mm)	AU1A-1451-S PN	1192.85	1260.40	1222.09	1289.64
		54"(1372mm)	AU1A-1454-S PN	1230.74	1302.31	1261.27	1332.84
		60"(1524mm)	AU1A-1460-S PN	1306.52	1386.13	1339.63	1419.24
		63"(1600mm)	AU1A-1463-S PN	1344.41	1428.04	1378.81	1462.44
		66"(1676mm)	AU1A-1466-S PN	1382.30	1469.95	1417.99	1505.64
		72"(1829mm)	AU1A-1472-S PN	1458.08	1553.77	1496.35	1592.04




## Nook — Open

## Dual Sided Solid or with Accessory Slot



Accessory Slot Case (Left Handed)



Accessory Slot Case (Right Handed)

#### **Features**

- · Includes two steel shrouds and two painted MDF shelves.
- Nooks 48"(1219mm)W and greater have a center divider in cubby.
- · Divider finish matches shelf.
- Shroud is solid or with accessory slot.
- · Accessory slots start two inches from the top of the shroud.

#### **Specification Tips**

- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose 26"(660mm)H Panel, Connections and Beam.
- · Can be mounted on A Series storage.
- Nooks cannot be flush mounted to a worksurface; must use stanchion.
- · Nook support:
  - -A Series requires stanchion support.
  - -Intuity requires stanchions, an application specific support bracket and accessory rail mounting bracket.
  - -Compose 26"(660mm)H Panel, Connections and Beam require stanchions and a support bracket for on and off modular application appropriate components.
- -Compose requires Off Modular Top Trim (UZCC-\_\_\_\_\_\$pa ) or for Compose to Active Component Nook.
- · Access hatch on Intuity will clear nook.
- When Nooks are in a side-by-side application, Ver the smalle than the width of the worksurface.
- Handedness is determined by the location of the op side when facing the unit
- Refer to the Specification Guide for m. sting a lication guidelines per product line.

#### To Order, Specify:

1) Product number, including:

#### 1 Shroud Type:

**S** Solid

A Accessory Slot

2 Hande

I 🖎 ha


Air 1-1 no

) Sh. vd Jor.

Oha ADFaal

She MDF color.

Nr. e: For mixed surface grades, cing will be determined by the sum of the upcharges. Please refer to the electronic catalog.




AU2A-S Class IN - GSA; Open Market


Nominal Nyninal	Nominal		Shrou Shelf	d - Trim A · MDF	Shrou Shelf	d - Trim B - MDF
Height	Width	Number 0 2	Α	В	Α	В
14.25"(362mm) 12"(305mm)	24"(610mm)	AU2A-1424-S P	\$ 843.00	\$ 874.37	\$ 860.63	\$ 892.00
	30"(762mm)	AU2A-1430-S P	918.78	958.19	938.99	978.40
	36"(914mm)	AU2A-1436-S P	994.56	1042.01	1017.35	1064.80
	42"(1067mm)	AU2A-1442-S P	1123.30	1178.79	1148.67	1204.16
	48"(1219mm)	AU2A-1448-S P	1199.08	1262.61	1227.03	1290.56
	51"(1295mm)	AU2A-1451-S P	1236.97	1304.52	1266.21	1333.76
	54"(1372mm)	AU2A-1454-S P	1274.86	1346.43	1305.39	1376.96
	60"(1524mm)	AU2A-1460-S P	1350.64	1430.25	1383.75	1463.36
	63"(1600mm)	AU2A-1463-S P	1388.53	1472.16	1422.93	1506.56
	66"(1676mm)	AU2A-1466-S P	1426.42	1514.07	1462.11	1549.76
	72"(1829mm)	AU2A-1472-S P	1502.20	1597.89	1540.47	1636.16



#### Nook — Enclosed

## Single Sided Solid or with Accessory Slot





Class IN - GSA; Open Market

#### **Features**

- · Includes a steel shroud and two painted MDF shelves
- · Nooks 48"(1219mm)W and greater have a center divider in cubby.
- · Divider finish matches shelf.
- · Nook is available in two heights.
- · Shroud is available solid or with accessory slot.
- · Accessory slots start two inches from the bottom of the shroud.

#### **Specification Tips**

- · Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications.
- · Not to be mounted to Compose panels less than 42"(1067mm)H, Connections or Beam.
- · Can be mounted on A Series storage.
- · Nooks cannot be flush mounted to a worksurface; must use stanchion.
- Nook support:
  - A Series requires stanchion support.
  - -Intuity requires stanchions, an application specific support bracket accessory rail mounting bracket.
- -Compose requires Off Modular Top Trim and Spacer for Comp Active Component Nook.
- · Access hatch on Intuity will clear nook.
- th smaller · When Nooks are in a side-by-side application, order t next w than the width of the worksurface.
- 8"(203mm)H nook will not accept the Hanging S
- on guidelines per · Refer to the Specification Guide for mounti appli product line.

#### To Order, Specify:

1) Product number, including:

#### Shroud Type:

S Solid

A Accessory Slot


(add 2) Shroud

surface grades, letermined by the sum harges. Please refer to the

Shroud - Trim B

iic catalog.

Shroud - Trim A





lominal **Shelf-MDF** Shelf - MDF **Nominal** Nomin<sub>2</sub> Width Height Depth A Number Α \$ 804.99 8"(203mm) 24"(610mm) AU1B-0824-S PN \$ 767.93 \$ 792.64 \$ 780.28 858.64 891.39 30"(762mm) AU1B-0830-S 843.71 876.46 PN 977.79 36"(914mm) AU1B-0836-S 919.49 960.28 937.00 42"(1067mm) AU1B-0842-S 1048.23 1097.06 1068.32 1117.15 AU1B-0848-S 1180.88 1146.68 1203.55 48"(1219mm) 1124.01 AU1B-0851-S 1161.90 1222.79 1185.86 1246.75 51"(1295mm) PN 54"(1372mm) AU1B-0854-S PN 1199.79 1264.70 1225.04 1289.95 1348.52 1303.40 1376.35 60"(1524mm) AU1B-0860-S PN 1275.57 1390.43 1342.58 1419.55 63"(1600mm) AU1B-0863-S PN 1313.46 66"(1676mm) AU1B-0866-S PN 1351.35 1432.34 1381.76 1462.75 72"(1829mm) AU1B-0872-S 1427.13 1516.16 1460.12 1549.15 14.25"(362mm) 12"(305mm) 24"(610mm) AU1B-1424-S PN \$ 860.66 \$ 892.03 \$ 878.29 \$ 909.66 30"(762mm) AU1B-1430-S PN 936.44 975.85 956.65 996.06 1012.22 1059.67 1035.01 1082.46 36"(914mm) AU1B-1436-S PN 1140.96 1196.45 1166.33 1221.82 42"(1067mm) AU1B-1442-S PN 48"(1219mm) AU1B-1448-S 1216.74 1280.27 1244.69 1308.22 1254.63 1283.87 1351.42 51"(1295mm) AU1B-1451-S 1322.18 54"(1372mm) AU1B-1454-S PN 1292.52 1364.09 1323.05 1394.62 AU1B-1460-S 60"(1524mm) PN 1368.30 1447.91 1401.41 1481.02 63"(1600mm) AU1B-1463-S PN 1406.19 1489.82 1440.59 1524.22 AU1B-1466-S 1444.08 1531.73 1479.77 1567.42 66"(1676mm) 72"(1829mm) AU1B-1472-S PN 1519.86 1615.55 1558.13 1653.82




#### Nook — Enclosed

## **Dual Sided Solid** or with Accessory





(Right Handed)



AU2B-S

Class IN - GSA; Open Market **Nominal** 

#### min Width Number A A Height \$ 812.05 \$ 824.40 \$ 849.11 8"(203mm) 9"(229mm) AU2B-0824-S P \$ 836.76 24"(610mm) AU2B-0830-S P 902.76 935.51 30"(762mm) 887.83 920.58 36"(914mm) AU2B-0836-S Р 963.61 1004.40 981.12 1021.91 1092.35 1112.44 1161.27 42"(1067mm) AU2B-0842-S P 1141.18 48"(1219mm) AU2B-0848-S P 1168.13 1225.00 1190.80 1247.67 51"(1295mm) AU2B-0851-S P 1206.02 1266.91 1229.98 1290.87 54"(1372mm) AU2B-0854-S P 1243.91 1308.82 1269.16 1334.07 60"(1524mm) AU2B-0860-S 1319.69 1392.64 1347.52 1420.47 P 63"(1600mm) AU2B-0863-S P 1357.58 1434.55 1386.70 1463.67 66"(1676mm) AU2B-0866-S P 1395.47 1476.46 1425.88 1506.87 72"(1829mm) AU2B-0872-S P 1471.25 1560.28 1504.24 1593.27 14.25"(362mm) 12"(305mm) 24"(610mm) AU2B-1424-S P \$ 904.78 \$ 936.15 \$ 922.41 \$ 953.78 30"(762mm) AU2B-1430-S 980.56 1019.97 1000.77 1040.18 36"(914mm) AU2B-1436-S Р 1056.34 1103.79 1079.13 1126.58 42"(1067mm) AU2B-1442-S 1185.08 1240.57 1210.45 1265.94 48"(1219mm) AU2B-1448-S P 1260.86 1324.39 1288.81 1352.34 AU2B-1451-S 1366.30 1327.99 1395.54 51"(1295mm) Р 1298.75 54"(1372mm) AU2B-1454-S P 1336.64 1408.21 1367.17 1438.74 AU2B-1460-S 1445.53 1525.14 60"(1524mm) Р 1492.03 1412.42 63"(1600mm) AU2B-1463-S P 1450.31 1533.94 1484.71 1568.34 66"(1676mm) AU2B-1466-S P 1488.20 1575.85 1523.89 1611.54 72"(1829mm) AU2B-1472-S P 1563.98 1659.67 1602.25 1697.94

#### **Features**

- · Includes two steel shrouds and two painted MDF shelves.
- Nooks 48"(1219mm)W or greater have a center divider in cubby.
- · Divider finish matches shelf.
- · Shroud is available solid or with accessory slot.
- Accessory slots start two inches from the bottom of the shroud.

#### Specification Tips

- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, and Compose full
- · Not to be mounted to Compose panels less than 42"(1067mm)H, Connections or Beam.
- · Can be mounted on A Series storage.
- · Nooks cannot be flush mounted to a worksurface; must use stanchion.
- Nook support:
  - A Series requires stanchion support.
- -Intuity requires stanchions, an application specific support bracket accessory rail mounting bracket.
- -Compose requires Off Modular Top Trim and Spacer for Com Active Component Nook.
- · Access hatch on Intuity will clear nook

**Nominal** 

- · When Nooks are in a side-by-side application, order t next w than the width of the worksurface.
- · Handedness is determined by the location of the en side when facing the
- 8"(203mm)H nook will not accept the I rter.
- · Refer to the Specification Guide fo lication guidelines per product line.

#### To Order, Specify:

1) Product number, including:

Shroud Type:

S Solid

A Accessory Slot

Shroud - Trim A

Shelf - MDF


For mixed surface grades, cing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Shroud - Trim B

Shelf - MDF



## **Desk-Height Storage Shelf**



# Desking (Top View)

AUSN

Class IN - GSA; Open Market

#### **Feature**

· Includes one painted MDF shelf.

#### **Specification Tips**

- For mounting to Compose panels 42"(1067mm)H and greater use Compose Off Modular Top Trim and Spacer.
- Can be mounted on A Series storage.
- Nooks cannot be flush mounted to a worksurface; must use stanchion.
- · Nook support:
- -Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose full panels, Connections and Beam.
- -A Series requires stanchion support.
- -Intuity requires stanchions, an application specific support bracket and the accessory rail mounting bracket.
- -Compose 26"(660mm)H Panel, Connections and Beam require stanchions and a support bracket, for on and off modular applications use appropriate components.
- -Compose requires Off Modular Top Trim (UZCC-\_\_\_-AA) and Sp Compose to Active Component Nook.
- Access hatch on Intuity will clear shelf.
- Refer to the Specification Guide for mounting application

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.



**Trim** 


0.5"(13mm) 12"(305mm) 12"(305,1m) AUSN-1212-P \$114  \( \frac{1}{3}\text{V457mm} \) AUSN-1218-P 135  \( \frac{2}{4}\text{"(610mm} \) AUSN-1224-P 156  \( \frac{3}{3}\text{O"(762mm} \) AUSN-1230-P 17  \( \frac{3}{6}\text{"(914mm} \) AUSN-1236-P 198  \( \frac{4}{2}\text{"(1067mm} \) AUSN-1242-P 215  \( \frac{4}{8}\text{"(1219mm} \) AUSN-1248-P 240  \( \frac{5}{1}\text{"(1295mm} \) AUSN-1251-P 256	
24"(610mm) AUSN-1224-P 156 30"(762mm) AUSN-1230-P 17 36"(914mm) AUSN-1236-P 198 42"(1067mm) AUSN-1242-P 219 48"(1219mm) AUSN-1248-P 240	0 \$131.76
30"(762mm) AUSN-1230-P 17 36"(914mm) AUSN-1236-P 198 42"(1067mm) AUSN-1242-P 219 48"(1219mm) AUSN-1248-P 240	8 163.50
36"(914mm) AUSN-1236-P 198 42"(1067mm) AUSN-1242-P 219 48"(1219mm) AUSN-1248-P 240	3 195.04
42"(1067mm) AUSN-1242-P 219 48"(1219mm) AUSN-1248-P 240	31 226.79
48"(1219mm) AUSN-1248-P 240	6 258.33
	0 289.86
51"(1295mm) ALISN-1251-P 25(	8 321.60
01 (120011III) 7.001V 12011 200	6 337.38
54"(1372mm) AUSN-1254-P 26	3 353.14
60"(1524mm) AUSN-1260-P 28:	384.89
63"(1600mm) AUSN-1263-P 292	8 400.65
66"(1676mm) AUSN-1266-P 303	6 416.43
72"(1829mm) AUSN-1272-P 324	0 447.96

## Intuity Benching and A Series Storage

#### Stanchion









#### **Features**

- · Includes one painted stanchion and attachment hardware.
- USB Power option includes a cutout for USB module.
- Supports desk-height storage nook or desk-height shelf in parallel or perpendicular applications.

#### **Specification Tips**

- · Available for use with Intuity Desking and A Series Storage.
- Must use Accessory Rail Mounting Double Sided bracket (BABD-0000) for Intuity.
- For USB power, specify USB module and cables separately. (Retrofit USB Charging Cable EUDX-U000-B OR EUDX-U000-W.)
- USB power only available on Intuity.
- · Not for use with Off-Modular Rail.
- See Specification Guide for specific application details and number of stanchions needed.

#### To Order, Specify:

1) Product number, including:




N No Power

U USB Power upcharge (add **\$32.57** list)

2) Trim color.

			Trim	
Height	<b>Application</b>	Number 0	Α	В
4.375"(111mm)	Intuity	AUSK-0400-B	\$ 77.82	\$ 81.08
	Universal	AUSK-0400-UN	77.82	81.08
11.5"(292mm)	A Series	AUSK-1200-GN	\$108.86	\$118.76



AUSK

Class IN - Discount Group XXIII

#### **Intuity Benching**

## Worksurface to Storage Bracket - Access Hatch **Mid-Mod Mount**



Class IN - Discount Group XXII

#### **Feature**

One painted steel bracket with mounting hardware.

#### **Specification Tips**


- Designed to be used with the 14"(356mm)H Nook only.
- · Required when Nook is centered on an Intuity starter or add on kit with access hatches.
- · Bracket mounts between the split in the access hatch.
- · Bracket is centered on Nook.
- · Used in combination with required Intuity Stanchions and Accessory Rail Mounting Bracket Kit.
- · Not for use with Off-Modular Rail.
- Not for use with 8"(203mm)H Nook.
- One bracket is required for each 14" (356mm)H Nook.
- · See Specification Guide for planning information.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

	Trim	
Number	Α	В
ZBBM-0410-PSN	\$105.90	\$107.67

## Worksurface to Storage Bracket - without Access Hatch



#### Class IN - Discount Group XXIII

#### **Feature**

· One painted steel bracket with mounting hardware.

#### **Specification Tips**

- Designed to be used with the 14"(356mm)H Nook only.
- · Required when Nook is centered on an Intuity starter or add on kit without
- · Bracket mounts between the split in the access hatch.
- · Bracket is centered on Nook.
- Used in combination with required Intuity Stanchions and Accessory Rail Mounting Bracket Kit.
- · Not for use with Off-Modular Rail.
- Not for use with 8"(203mm)H Nook.
- One bracket is required for each 14"(356mm)H Nook.
- · See Specification Guide for planning information.

To Order, Specify:
1) Product number.
2) Trim color

To Order, Specify:


(No finish specification required.)

1) Product number.

- Trim color.

	Trim	
Number	Α	В
ZBBB-0410-PCN \$10	05.90	\$107.67

## **Accessory Rail Mounting Bracket** Kit, Double Sided



#### **Features**

- Includes two mounting brackets and attachment hardware.
- Allows attachment of two accessory rails (back-to-back) in a double-sided application.
- · Brackets are black finish color.

#### **Specification Tip**


• Required when mounting Nook with Intuity Stanchion. See Specification Guide for application guidelines.

Α	ctu	ıal

Height	Depth	Number	Price
3"(76mm)	13.75"(349mm)	BABD-0000	\$108.53

### Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount

## Stanchion — Standard Aluminum Top Trim



Class IN – Discount Group XXIII

#### **Features**

- · Includes one painted stanchion and attachment hardware.
- Supports 12"(305mm)D Desk-Height Storage Nook, Open or Desk-Height Shelf in parallel applications with standard aluminum top trim.

#### **Specification Tips**


- Designed to be used with Compose 26"(660mm)H Panel, Connections and Beam with standard aluminum top trim. 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf install centered on a single panel.
- · Not to be used with work rail top trim.
- · No USB power available.
- · Not for use with Off-Modular Rail.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_-\_) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- See Specification Guide for specific application details and number of stanchions needed.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

		Trim	
Height	Number	Α	В
8"(203mm)	ZZBP-0800-PAN	\$200.20	\$218.68

## Stanchion — Work Rail Top Trim



ZZBP-PGN Class IN - Discount Group XXIII

#### **Features**

- · Includes one painted stanchion and attachment hardware.
- Supports 12"(305mm)D Desk-Height Storage Nook, Open or Desk-Height Shelf in parallel applications with work rail top trim.

#### **Specification Tips**


- Designed to be used with Compose 26"(660mm)H Panel, Connections and Beam with work rail top trim. 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf install centered on a single panel.
- Not to be used with standard aluminum top trim.
- No USB power available.
- · Not for use with Off-Modular Rail.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_ N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_--) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- See Specification Guide for specific application details and number of stanchions needed.


- 1) Product number.
- 2) Trim color.

		Trim	
Height	Number	Α	В
7"(178mm)	ZZBP-0700-PGN	\$246.41	\$263.35

## Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount

## Worksurface to Storage Bracket





ZVBM-PWN Class IN - GSA; Open Market

#### **Feature**

· Includes one painted bracket and mounting hardware.

#### **Specification Tips**


- Designed to be used with Compose 26"(660mm)H Panel, Connections and Beam with work rail top trim or standard aluminum top trim. 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf install centered on a single panel.
- · Requires an attached worksurface on both sides of panel.
- · Not for use with Off-Modular Rail.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_\_-) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- One bracket is required for each 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf.
- See Specification Guide for specific application details and number of stanchions needed.


- 1) Product number.
- 2) Trim color.

	Trim		
Number	Α	В	
ZVBM-0603-PWN	\$105.90	\$107.67	

## Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting

## Worksurface to Storage Bracket





ZVBM-PZN Class IN - Discount Group XXIII

#### **Feature**

· Includes one painted bracket and mounting hardware.

#### **Specification Tips**


- For use with Compose 26"(660mm)H Panel, Connections and Beam panel applications with Standard Aluminum Top Trim or Work Rail Top Trim.
- · Requires an attached worksurface on both sides of panel.
- Requires separately specified Off-Modular Rail (UZCC-00\_\_-AAZ), Off-Modular Stanchions, 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf to complete the application.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_\_-) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- One bracket is required for each 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf.
- See Specification Guide for specific application details and number of stanchions needed.

- 1) Product number.
- 2) Trim color.

	Trim	
Number		В
ZVBM-060	3-PZN \$105.90 \$10	07.67

### Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting

## Off-Modular Stanchion — Aluminum Top Trim



Class IN – Discount Group XXIII

#### **Feature**

· Includes one painted stanchion and attachment hardware.

#### **Specification Tips**


- For use with Compose 26"(660mm)H Panel, Connections and Beam panel applications with Standard Aluminum Top Trim.
- · Not to be used with Work Rail Top Trim.
- No USB power available.
- Requires separately specified Off-Modular Rail (UZCC-00\_\_-AAZ),
   Worksurface to Storage Bracket For use with Off-Modular Rail,
   14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf to complete the application.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_ N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_-\_) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- See Specification Guide for specific application details and number of stanchions needed.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

## Height Number A B 8"(203mm) ZZBP-0800-PAZ \$200.20 \$218.68

## Off-Modular Stanchion — Work Rail Top Trim



ZZBP-PGZ Class IN – Discount Group XXIII

#### Features

- Includes one painted stanchion and attachment hardware.
- Supports 12"(305mm)D Desk-Height Storage Nook, Open or Desk-Height Shelf in parallel applications with work rail top trim.

#### **Specification Tips**


- For use with Compose 26"(660mm)H Panel, Connections and Beam panel applications with Work Rail Top Trim.
- · Not to be used with Standard Aluminum Top Trim.
- No USB power available.
- Requires separately specified Off-Modular Rail (UZCC-00\_\_-AAZ),
   Worksurface to Storage Bracket For use with Off-Modular Rail,
   14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf to complete the application.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_\_-) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- See Specification Guide for specific application details and number of stanchions needed.

- 1) Product number.
- 2) Trim color.

		Trim	
Height	Number	Α	В
7"(178mm)	ZZBP-0700-PGZ	\$246,41	\$263.35

## Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting

## Off-Modular Rail — Compose to Open Nook



Class IN – Discount Group XXIII

#### **Feature**

· Includes off modular rail and attachment hardware.

#### **Specification Tips**

- Allows stanchion placement flexibility with Compose 26"(660mm)H Panel, Connections and Beam panel applications.
- One work rail to one component.
- · Work rail and component must be sized the same.
- Requires separately specified Off-Modular Stanchions, Worksurface to Storage Bracket for use with Off-Modular Rail, 14"(356mm)H Desk-Height Nook, Open or Desk-Height Shelf to complete the application.
- For use with 14"(356mm)H Desk-Height Nook, Open (AU1A-14\_\_-S\_\_N and AU2A-14\_\_-S\_\_) and Desk-Height Shelf (AUSN-12\_\_-) only.
- Not for use with 8"(203mm)H or 14"(356mm)H Desk-Height Nook, Enclosed.
- See Specification Guide for specific application details and number of stanchions needed.


#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

**Note:** Nooks should have at least 6"(152mm) separation.

Trin	1
Number A	В
UZCC-0024-AAZ \$1070.94	\$1075.88
UZCC-0030-AAZ 1113.72	1120.76
UZCC-0036-AAZ 1156.50	1165.64
UZCC-0042-AAZ 1199.28	1210.52
UZCC-0048-AAZ 1242.06	1255.40
UZCC-0054-AAZ 1284.84	1300.28
UZCC-0060-AAZ 1327.62	1345.16
UZCC-0066-AAZ 1370.40	1390.04
UZCC-0072-AAZ 1413.18	1434.92

## End Cap, Off-Modular Rail — Open Nook



UZRC-0000 Class IN - Discount Group XXIII

#### **Feature**

· Includes two end caps and hardware

#### **Specification Tip**


For use when the ends of the Off-Modular Rail for use with 14"(356mm)H
 Desk-Height Nook, Open and Desk-Height Shelf are exposed.

- 1) Product number.
- 2) Trim color.

	Trim	
Number	Α	В
LIZPC-0000	\$156.60	\$162.64

## Compose Full Panel — Off-Modular Rail Mounting

## Off-Modular Mounting — Compose Full Panel to Nook



#### UZCC-AA Class IN - Discount Group XXIII

#### **Features**

- · Includes off modular top trim and attachment hardware.
- Use to center mount Active Components Nook to modular or off modular applications.


#### **Specification Tips**

- Must be used with spacer to mount Desk-Height Nook.
- · Designed to be used on aluminum top trim only.
- Not for use with Desk-Height Shelf.
- Recommended panel height is 42"(1067mm) to 50"(1270mm).
- · Refer to the Specification Guide for application guidelines.


#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

**Note:** Nooks should have at least 6"(152mm) separation.



## Spacer — Compose Full Panel to Nook



UZCC-AAS Class IN - Discount Group XXIII

#### **Features**

- Includes charcoal ABS spacer and attachment hardware.
- Use to center mount Active Components Nook to modular or off modular applications.

#### **Specification Tips**

- Designed to be used on aluminum top trim only.
- Spacer must match the width of the Desk-Height Nook.
- Must be used with Off-Modular Mounting for Compose to Full Panel Nook.
- Not for use with Desk-Height Shelf.
- $\bullet$  Recommended panel height is 42"(1067mm) to 50"(1270mm).
- Refer to the Specification Guide for application guidelines.


#### To Order, Specify:

Product number.
 (No finish specification required.)

Number	Price
UZCC-0024-AAS	\$ 203.74
UZCC-0030-AAS	208.84
UZCC-0036-AAS	213.94
UZCC-0042-AAS	259.02
UZCC-0048-AAS	264.12
UZCC-0054-AAS	269.22
UZCC-0060-AAS	274.32
UZCC-0066-AAS	350.50
UZCC-0072-AAS	355.60

## **Screens**

## Personal Divider with Drawer



#### **Features**

- Includes screen with accessory slots, open shelf, drawer, and double stick tape.
- Available with optional Mini tap power cutout. Chose option "M".
- · Screen and drawer are painted steel.
- Open shelf is painted MDF.
- Unit is non-locking.

#### **Specification Tips**

- Designed to be placed at rear of worksurface; will fit between the worksurface and Intuity access hatch.
- · Cannot be flush with a panel.
- Handedness is determined by relationship of open shelf to user.
- Does not work with parallel mounted Shelves or Nooks; divider screen with accessory slots does not clear the front or back of Nook or shelf.
- Should not be used along front of painted MDF pillowed knifed edge.
- Separately specify Mini Tap Power corded or hardwire.
- · See Specification Guide for application guidelines.

#### To Order, Specify:

1) Product number, including:

1 Handedness:

L Left-hand

R Right-hand

**2** Cutout Option:

N Non-Powered

M Mini Tap Power cutout (add **\$44.12** list)


- 2) Case trim color.
- 3) Shelf trim color.

Coco - Trim A

4) Drawer trim color.

**Note:** For mixed surface grades, pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Case - Trim P




AUF1-SAP Class IN - GSA; Open Market

Nominal	Nominal	Nominal		Drawe Trim	r	Draw Trim	er
Height	Depth	Width	Number 00	Α	В	Α	В
12.5"(318mm)	19"(483mm)	9"(229mm)	AUF1-1319-SAP	\$624.94	\$677.88	\$669.07	\$686.72

## **Screens**

#### **Center Screen**





Class IN - GSA; Open Market

#### **Features**

- · Includes one tackable fabric screen and mounting hardware.
- · Mounting brackets and hardware are not visible.

#### **Specification Tips**

- · Can be used with Inner Accessory Screen.
- Mounts to Intuity Rail, Compose Connections work rail or Active Components screen carriage and rail.
- · See Specification Guide for height alignment.

#### To Order, Specify:

- 1) Product number.
- 2) Fabric surface.

Note: Fabric selection choices are

Class II and Maya II.

Nominal	Nominal		Fabric		
Height	Width	Number <b>0</b>	С	D	
17"(432mm)	42"(1067mm)	AUSR-1742-FBN	\$2625.27	\$ 2697.77	
	48"(1219mm)	AUSR-1748-FBN	2688.27	2769.41	
	60"(1524mm)	AUSR-1760-FBN	2814.27	2912.69	
	72"(1829mm)	AUSR-1772-FBN	2940.27	3055.97	

#### **Corner Screen**



Class IN - GSA; Open Market

#### **Feature**

• Includes one tackable fabric screen and attachment hardware.

#### **Specification Tips**

- Designed to be used with Active Component convergent worksurfaces and Active Component Height Adjustable.
- Designed to mount to worksurfaces with a minimum corner radius of 3"(76mm).
- Can be used with Inner Accessory Screen.
- See Specification Guide for height alignment.

 $\mbox{\bf Note:}\;$  Screen will be visibly marked where attachment hardware is to be installed.

#### To Order, Specify:

1) Product number, including:



L Left-hand

R Right-hand

2) Fabric color.

3) Bracket trim.

**Note: \$8.50** upcharge (list) for Metallic and accent trim colors.

**Note:** Fabric selection choices are Class II and Maya II.

Nominal	Nominal				Fabric	•
Height	Width	Weight	Number	0	С	D
24"(610mm)	45"(1143mm)/22"(559mm)	17.2 lbs(7.8 kg)	AUSC-2444-F	R	\$2510.21	\$2579.91

## **Screens**

## **Territory Screen**





AUST Class IN - GSA; Open Market

#### **Features**

- Includes one tackable fabric screen, base tray and mounting hardware.
- · Bottom of the screen sits in the base tray and is non-handed.

#### **Specification Tips**

- Do not use with worksurfaces under 26"(660mm)D. Compatible with 30"(762mm) and 36"(914mm) worksurfaces.
- · Not designed to be used with other edge profiles.
- See specification guide for worksurface support.

#### To Order, Specify:

1) Product number, including:

#### 1 Edge Option:

J Edgeband

**U** Knife

E Pillowed Knife Edge


2) Fabric surface.

3) Base tray trim color.

**Note:** Fabric selection choices are Class II and Maya II.

Nominal	Nominal			Fabri	oric
Height	Width	Weight	Number 0	C	D
Single-Sided/End	l-of-Run				
15.5"(394mm)	35"(889mm)	8.2lbs (3.7kg)	AUST-1835-F S	\$2422.10	\$2460.78
Double-Sided/Sh	ared				
15.5"(394mm)	35"(889mm)	8.2lbs (3.7kg)	AUST-1835-F R	\$2457.39	\$2496.07

## Inner Accessory Screen





AUSA Class IN - GSA; Open Market

#### **Features**

- Includes painted metal screen with attachment hardware.
- · Handedness is for accessory slots.
- Handedness applies to worksurface mounted only not rail mounted.
- Rail Mount is non-handed.

#### **Specification Tips**

- Height for both screens is 12"(305mm)H above worksurface.
- Accommodates Belong Work Tools.
- Can be used in conjunction with Intuity Center and Active Component corner and center screens.
- Not to be used with Territory screen.
- Rail Mount for use with Intuity and Compose Connections with work rail.
- Worksurface Mount for use with Adaptable worksurfaces.
- Accepts Belong Tools
- -Tool Cup
- -Mini Shelf

#### To Order, Specify:

1) Product number, including:



L Left-hand

R Right-hand


2) Trim finish color.

Nominal	Nominal		Trim	
Height	Width	Number <b>0</b>	Α	В
Rail Mount				
13"(330mm)	24"(610mm)	AUSA-1324-SRN	\$259.50	\$266.54
Worksurface Mo	unt			
13"(330mm)	22"(559mm)	AUSA-1322-SW	\$ 264.81	\$268.33



## Floating Shelves

## **External Mount**



#### **Features**

- Includes three equal length shelves with a backer and bracket.
- Shelves available in Painted MDF or Painted Metal.
- Brackets for painted metal shelf will match the trim.
- Brackets for painted MDF shelves will have a trim option.
- · Laminate backer only available with metal shelves.

#### **Specification Tips**

- Height between shelves is 5"(127mm) and shelves are not adjustable.
- Designed to be mounted along any height on a Compose panel or Compose Connection Frame.
- To be installed in panel frame slots on same width panels or two panels equal to tile width.
- 30"(762mm)-72"(1829mm)W panels allow Floating Shelf to externally mount over the existing tile.
- Panel and worksurface support may interfere with mounting Active Component Floating Shelves, see Specification Guide for appropriate brackets.
- Refer to the Specification Guide for application guidelines.

#### To Order, Specify:

1) Product number, including:

#### 1 Shelf Surface:

S Painted Metal

P Painted MDF


#### Laminate Ba

- 2) Backer la in the lor (for Metal Sh. (0) ).
- 3) 'al na F se Band.
- ) Sh. al oracket trim color.
- ₩ MDF
- 2) 3acker color.
- Shelf color.
- Bracket trim color (trim required when specifying a painted MDF shelf).

**Note:** Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

Nominal	Nominal	Nominal		Shelf: Trim	Surface	Paint	
Height	Depth	Width	dr be.	A	В	A	В
Shelf Backer Surf	face – Laminate						
12"(305mm)	9"(229mm)	30"(762mm)	AZS /230-LSAA	\$ 1182.80	\$ 1251.66	N/A	N/A
		36"(914mm)	ZSE-1236-LSAA	1283.48	1352.34	N/A	N/A
		42"(1067	AZSE-1242-LSAA	1384.16	1453.02	N/A	N/A
		48"(1219mm)	AZSE-1248-LSAA	1484.84	1553.70	N/A	N/A
		54"(\ '\?mm)	AZSE-1254-LSAA	1585.52	1654.38	N/A	N/A
		00 R	AZSE-1260-LSAA	1686.20	1755.06	N/A	N/A
		66"(16 3mm)	AZSE-1266-LSAA	1786.88	1855.74	N/A	N/A
		29mm)	AZSE-1272-LSAA	1887.56	1956.42	N/A	N/A
Shelf Backer Surf	face - Paint						
12"(305mm)	9"(229r 1)	30"(762mm)	AZSE-1230-P AA	\$ 1532.35	\$ 1558.84	\$ 2196.13	\$2222.60
		36"(914mm)	AZSE-1236-P AA	1643.65	1670.14	2315.47	2344.52
		42"(1067mm)	AZSE-1242-P AA	1754.95	1781.44	2434.81	2466.44
		48"(1219mm)	AZSE-1248-P AA	1866.25	1892.74	2554.15	2588.36
		54"(1372mm)	AZSE-1254-P AA	1977.55	2004.04	2673.49	2710.28
		60"(1524mm)	AZSE-1260-P AA	2088.85	2115.34	2792.83	2832.20
		66"(1676mm)	AZSE-1266-P AA	2200.15	2226.64	2912.17	2954.12
		72"(1829mm)	AZSE-1272-P AA	2311.45	2337.94	3031.51	3076.04

## **Security Drawer**



AHDD-SU Class IN - GSA; Open Market

#### **Features**

- · Includes a painted steel drawer and front with lock.
- Available with optional USB power (Retrofit USB Charging Cable EUDX-U000-\_).
- For lock options, refer to Lock Program Price List.
- Drawer is 3"(76mm)H.
- Bracket designed to clear desking understructure.

#### **Specification Tips**

- Built-in top shelf 2"(51mm) from bottom of worksurface.
- · Designed to be used on:
- -Adaptable worksurfaces when mounted to Compose full panel, Connections or Beam.
- -Intuity
- -30"D Planes Height Adjustable Tables and Height Adjustable Benches. -29"D Upside Height Adjustable Tables with C Leg.
- Not designed to work on 24"(610mm)D Planes height adjustable tables or banches
- Security Drawer without power option cannot be retrofit with power option.

#### To Order, Specify:

1) Product number, including:

#### 1 Power Option:

- N Non-Powered
- U USB Power (add **\$105.90** list)
- 2) Case trim color.
- 3) Front trim color.
- 4) Lock trim color.

**Note:** For mixed surface grades, pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Nominal Nominal				Trim	
Height	Width	Weight	Number 0	Α	В
5"(127mm)	17"(432mm)	12"(305mm)	AHDD-0312-SU NL	\$759.08	\$787.34

## Top Liner — Security Drawer



ALTD-S Class IN - GSA; Open Market

#### **Feature**

· Includes one steel liner and double sided tape.

#### **Specification Tips**


- Painted steel liner sits on top of built-in top shelf.
- Painted steel liner is not for drawer body.

- 1) Product number.
- 2) Trim color.

			Trim	
Depth	Width	Number	Α	В
8"(203mm)	12"(305mm)	ALTD-0812-S	\$96.32	\$100.73

#### **Pedestal**

### Open or Open with **Box Drawer**



Class IN - GSA; Open Market

#### **Features**

- Includes open pedestal or open pedestal with box drawer with lock and attachment hardware.
- · For lock options, refer to Lock Program section of the Accessories Price
- Bottom panel can be specified in painted MDF.
- · Pencil drawer has a painted metal front.

#### **Specification Tips**

- Separately specified, if applicable:
  - -Top Liner
- -Drawer Liner
- -Drawer Tray
- -Magnetic Divider
- Attaches to:
  - -Adaptable worksurfaces when mounted to Compose full panel, Connections or Beam.
- Built-in top shelf suspended 2"(51mm) from worksurface.


#### To Order, Specify:

- 1) Product number.
- 2) Case trim color.
- 3) Pencil drawer front trim color (If applicable).
- 4) Bottom color.
- 5) Lock plug color.

Note: For mixed surface grades, pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Nominal Nominal		Nominal			m - MDF		n - MDF
Height	Depth	Width	Number 0	Α	В	Α	В
Open							
18"(457mm)	17"(432mm)	9"(229mm)	AHPZ-1809-SNPUNN	\$657.52	\$667.29	\$ 714.52	\$ 724.29
Open with Box D	rawer						
18"(457mm)	17"(432mm)	9"(229mm)	AHPD-1809-SNPUNL	\$975.08	\$984.85	\$1032.08	\$1041.85

## **Box/File Drawers**



AHPA Class IN - GSA; Open Market

#### **Features**

- · Includes box/file pedestal with lock and attachment hardware.
- Pedestal front attaches to the file drawer and conceals box drawer. Standard with lock.
- · Painted steel case.
- For lock options, refer to Lock Program section of the Accessories Price
- · Bottom panel is painted MDF.

#### **Specification Tips**

- Attaches Compose Connections, Intuity, or Adaptable Worksurfaces for Compose. See Specification Guide for application guidelines.
- Separately specified File Partition must be specified for letter filing in drawer. Not required for legal filing.
- Separately specified, if applicable:
  - -Top Liner
  - -Drawer Liner
- -Drawer Tray -File Partition
- -Drawer Divider
- -Magnetic Divider
- -Personal Storage Hook
- Built-in top shelf suspended 2"(51mm) from worksurface.

#### To Order, Specify:


- 1) Product number.
- 2) Case trim color.
- 3) Drawer front trim color.
- 4) Bottom trim color
- 5) Lock plug trim color.

Note: For mixed surface grades, pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Nominal	Nominal	Nominal			· Trim A m - MDF		- Trim B m - MDF
Height	Depth	Width	Number 0	A	В	Α	В
18"(457mm)	17"(432mm)	9"(229mm)	AHPA-1809-SNPUNL	\$1227.51	\$1237.28	\$1284.51	\$1294.28

## **Pedestal Accessories**

## **Top Liner**



ALTP-S Class IN - GSA; Open Market

#### **Feature**

• Includes one steel liner and double sided tape.

#### **Specification Tips**

- Painted steel liner sits on top of built-in top shelf.
- Painted steel liner is not for drawer body.
- For use with Active Components Suspended Pedestal.


- 1) Product number.
- 2) Trim color.

			Trim	
Depth	Width	Number	Α	В
8"(203mm)	9"(229mm)	ALTP-0809-S	\$91.25	\$94.77



#### **Ender**

## Box/Open or Box/File



#### **Features**

- Includes two box/open or box/file configurations with lock, center section and attachment hardware.
- · Attachment hardware is product line and leg specific.
- Top is recessed 1"(25mm).
- · Case, front and interior panels are painted steel.
- · Top/Bottom/Shelves are painted MDF.

#### **Specification Tips**

- Mounts on dual sided Intuity Bench.
- · Cannot mount on single sided bench.
- Width of the Suspended Ender must match the depth of the bench.
- · Fixed shelf cannot accommodate binders.
- · Separately specified File Partition must be specified for letter filing in drawer. Not required for legal filing.
- · Separately specified, if applicable:
- -Top Liner
- -Drawer Liner
- -Drawer Tray
- -File Partition
- -Drawer Divider
- -Magnetic Divider
- -Personal Storage Hook

#### To Order, Specify:

1) Product number, including:



I Straight Leg


A Angled Leg

2) Case trin

- 3) Front tri

r mixed surface grades,


ng will be determined by the sum the upcharges. Please refer to the electronic catalog.



Nominal	Nominal		Trim A Top/Bo	ttom - MDF	Trim B Top/Bo	ttom - MDF
Depth	Width	Number 0	Α	В	Α	В
en						
9"(229mm)	51"(1295mm)	AHEC-1851-B SPNL	\$ 2771.63	\$ 2785.75	\$2907.56	\$ 2921.68
	63"(1600mm)	AHEC-1863-B SPNL	3195.11	3251.47	3352.28	3408.64
rs						
9"(229mm)	51"(1295mm)	AHEA-1851-B SPNL	\$3265.93	\$3280.05	\$3401.86	\$ 3415.98
	63"(1600mm)	AHEA-1863-B SPNL	3689.41	3745.77	3846.58	3902.94
	Depth en 9"(229mm)	Depth Width  en  9"(229mm) 51"(1295mm) 63"(1600mm)  rs  9"(229mm) 51"(1295mm)	Depth         Width         Number         1           en         9"(229mm)         51"(1295mm)         AHEC-1851-B         SPNL           63"(1600mm)         AHEC-1863-B         SPNL           rs           9"(229mm)         51"(1295mm)         AHEA-1851-B         SPNL	Nominal Depth         Nominal Width         Number         Top/Bot A           en         9"(229mm)         51"(1295mm)         AHEC-1851-B SPNL         \$ 2771.63           63"(1600mm)         AHEC-1863-B SPNL         3195.11           rs           9"(229mm)         51"(1295mm)         AHEA-1851-B SPNL         \$3265.93	Nominal Depth         Nominal Width         Number         Top/Bottom - MDF A         B           en         9"(229mm)         51"(1295mm)         AHEC-1851-B         SPNL         \$ 2771.63         \$ 2785.75           63"(1600mm)         AHEC-1863-B         SPNL         3195.11         3251.47           rs         9"(229mm)         51"(1295mm)         AHEA-1851-B         SPNL         \$3265.93         \$3280.05	Nominal Depth         Nominal Width         Top/Bottom - MDF A B A         Top/Bot A A B A           en         9"(229mm)         51"(1295mm)         AHEC-1851-B SPNL \$ 2771.63 \$ 2785.75 \$ 2907.56 63"(1600mm)         \$4EC-1863-B SPNL \$ 3195.11 \$ 3251.47 \$ 3352.28           rs         9"(229mm)         51"(1295mm)         AHEA-1851-B SPNL \$ 3265.93 \$ 3280.05 \$ 3401.86

## **Ender Accessories**

## **Top Liner**



#### **Feature**

• Includes one steel liner and double sided tape.

#### **Specification Tips**

- Painted steel liner sits on top of built-in top shelf.
- · Painted steel liner is not for drawer body.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

				Trim	
For Use With	Depth	Width	Number	Α	В
51"(1295mm) Suspended Ender	17"(432mm)	9"(229mm)	ALTE-1709-S	\$118.62	\$125.26
63"(1600mm) Suspended Ender	18"(457mm)	9"(229mm)	ALTO-1809-S	121.11	127.72

ALTE-S

Class IN - GSA; Open Market

#### Reference Shelf




- Includes one painted steel shelf and attachment hardware.
- Attaches to center section of suspended ender.

#### **Specification Tips**

- Shelf is angled 38°.
- Suspended Ender can accommodate two reference shelves.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.



AAOR-S Class IN - GSA; Open Market

 For Use With
 Depth
 Number
 A
 B

 51"(1295mm) Suspended Ender
 9"(229mm)
 AAOR-0951-S
 \$ 347.78
 \$354.85

 63"(1600mm) Suspended Ender
 9"(229mm)
 AAOR-0963-S
 369.03
 381.51

## **Accessories**

## **Magnetic Divider**





Class IN - GSA; Open Market

#### **Feature**

• Includes one magnetic aluminum divider.

#### **Specification Tips**

- Requires separately specified Suspended Pedestal Top Liner or Suspended Ender Top Liner.
- Designed to be used with:
- -Suspended Pedestal drawer
- -Suspended Ender
- -Suspended Ender Painted Steel Liner
- -Security Drawer
- -Drawer Tray

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

#### **Trim** Width Number В **Application** Height Α Drawer Tray 1"(25mm) 7"(178mm) AAOD-0107-S \$40.65 \$44.63 9"(229mm) Ender AAOD-0109-S 49.09 44.21 Security Drawer 12"(305mm) AAOD-0112-S 49.50 55.73

#### **Drawer Liner**



Class IN - GSA; Open Market

#### **Feature**

• Includes one felt liner.

#### **Specification Tips**

- Designed to be used with:
  - -Suspended Pedestal drawer
  - -Suspended Ender
  - -Security Drawer
  - -Drawer Tray

#### To Order, Specify:

1) Product number.

Application	Height	Width	Number	Price
Pedestal Pencil Drawer	17"(432mm)	7"(178mm)	ALDP-1707-F	\$35.75
Pedestal Box Drawer	17"(432mm)	7"(178mm)	ALDA-1707-F	35.75
Security Drawer	17"(432mm)	12"(305mm)	ALDD-1712-F	40.17
Tray	17"(432mm)	7"(178mm)	ALDT-0607-F	21.19

## Personal Storage Hook



AAOC-S Class IN - GSA; Open Market

#### Feature

· Includes one hook.

#### **Specification Tips**

- Designed to hang from Suspended Pedestal, Suspended Ender, Security Drawer or Nook.
- Hook load capacity: 20lbs.


То	Ord	ler, S	pecify:
----	-----	--------	---------

- 1) Product number.
- 2) Trim color.

			Trim	
Height	Width	Number	Α	В
3"(76mm)	2"(51mm)	AAOC-0302-S	\$67.89	\$69.66

## **Accessories**

#### **File Partition**



Class IN - GSA; Open Market

#### **Features**

Height

10"(254mm)

- · Includes one painted steel partition.
- Attaches in file drawer of suspended pedestal or suspended ender for letter

#### **Specification Tip**

 Required in Suspended Pedestal and Suspended Ender to provide filing capability.

Width

6"(152mm)

То	Order,	Spe	cify:
----	--------	-----	-------

- 1) Product number.
- 2) Trim color.

Number

AAOP-1007-S


Trim	
Α	В

\$61.66

\$58.16

## AAOP-S

## **Drawer Tray**



AAOT-S Class IN - GSA; Open Market

#### **Feature**

• Includes one painted steel tray.

#### **Specification Tips**


- Separately specified if applicable:
  - -Drawer Liner
  - -Magnetic Divider
- · Designed to use with box or file drawer of a Suspended Pedestal or Suspended Ender.

#### To Order, Specify:

- 1) Product number.
- 2) Trim color.

			ırım	
Height	Width	Number	Α	В
2"(51mm)	7"(178mm)	AAOT-0207-S	\$208.05	\$209.82

#### **Shelf Divider**



AAOS-S Class IN - GSA; Open Market

#### **Features**

- · Includes one painted steel divider.
- Works with desk-height nooks, shelves and enders.

- 1) Product number.
- 2) Trim color.

Actual	Actual	Actual		Trim	
Width	Depth	Height	Number	Α	В
4.5"(114mm)	9"(229mm)	2.6"(66mm)	AAOS-0305-S	\$68.58	\$70.22
		5.75"(146mm)	AAOS-0605-S	88.25	\$91.08

## **Electrical Components**

## Mini Tap — Corded and Hardwire

Optional Mini Taps:

(2) Power







(1) Power, (1) USB



EUM1-PF0B Class IN - GSA; Open Market

#### **Features**

- Includes power module with 2 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex (with two USB outlets).
- · Includes mounting hardware.
- Corded power module available with 15 amp 6'(1829mm) or 10'(3048mm) long cord with plug (NEMA 5-15P).
- Hardwired power module with 6'(1829mm) or 12'(3658mm) long flexible metal conduit feed, 0.5"(13mm) conduit fitting and wires for hardwire connection
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

#### **Specification Tips**

- · For use with Active Components Personal Divider.
- For use with 120 volt 60 hertz power sources only.
- · Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

#### To Order, Specify:

Product number.
 (No finish specification required.)

			Port	Length			
Height	Depth	Width	Color	Cord	Configuration	Number	Price
Corded							
1.5"(38mm)	3.2"(81mm)	2.9"(74mm)	Black	6′	2 Power	EUM1-PF0B-2000	\$ 189.54
			Black	6′	1 Power, USB	EUM1-PF0B-1100	395.56
			Black	12'	2 Power	EUM1-PLOB-2000	230.76
			Black	12'	1 Power, USB	EUM1-PLOB-1100	436.78
			White	6′	2 Power	EUM1-PF0W-2000	\$ 189.54
			White	6′	1 Power, USB	EUM1-PFOW-1100	395.56
			White	12'	2 Power	EUM1-PLOW-2000	230.76
			White	12′	1 Power, USB	EUM1-PLOW-1100	436.78
Hardwire							
1.5"(38mm)	3.2"(81mm)	2.9"(74mm)	Black	6′	2 Power	EUM1-HF0B-2000	\$ 271.95
			Black	6′	1 Power, USB	EUM1-HF0B-1100	477.97
			Black	12'	2 Power	EUM1-HLOB-2000	313.17
			Black	12'	1 Power, USB	EUM1-HLOB-1100	519.19
			White	6′	2 Power	EUM1-HF0W-2000	\$ 271.95
			White	6′	1 Power, USB	EUM1-HF0W-1100	477.97
			White	12′	2 Power	EUM1-HLOW-2000	313.17
			White	12′	1 Power, USB	EUM1-HLOW-1100	519.19

## **HAWORTH**

## **Active Components Resources**

Surfaces Materials Index Warranty/Terms of Sale

## **Surface Materials**

## **Finish Color Legend**

#### **Trim**

#### **Paint Finishes**

#### Grade A Smooth TR-R

TR-R Beige
TR-F Black
TR-AK Chalk
TR-K Charcoal
TR-C1 Cocoa
TR-J Graphite
TR-G Gray Tone

TR-AA Putty
TR-E Smoke
TR-PLS Smooth Plaster

TR-FM Snow
Textured
TR-TG Grout
TR-TF Pitch

TR-TW

Grade B

Smooth

TR-1C Accent Blue TR-1G Blue Jay TR-1R Brownstone TR-1N Night TR-1Q Park TR-RR Rusty Red TR-1M Sable TR-1J Sky Blue

Plaster

Smooth Metallic

TR-MC Metallic Champagne TR-LE Metallic Silver

Textured Metallic

TR-HE Hellenic

**Lock Plugs** 

LR-BL Black LR-BP Chrome Grade A

PW-R Beige
PW-F Black
PW-AK Chalk
PW-G Gray Tone
PW-PL Polar
PW-SY Stormy
PW-VA Vapor

Grade B

PW-RR Rusty Red PW-1J Sky Blue PW-SP Sparrow PW-ST Straw PW-1H Terra

**ALERT:** These materials are current, however they are being considered for future obsolescence due to low volume.

#### **Trims**

TR-1E Accent Orange
TR-1F Accent Red
TR-AR Argent
TR-CTS Chartreuse
TR-DM Dark Bronze Metallic
TR-1H Terra
TR-1K Wren

#### Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: Haworth.com > Surface Collection > Haworth+ Library

### **Customer's Own Material (COM)**

For general Customer's Own Material (COM) information including processes and forms, please refer to:

Haworth.com > Surface Collection > Resources > COM

For information on approved COM's, please refer to:

Haworth.com > Surface Collection > COM Library

## Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
AOU1A-S	Desk-Height Storage – Nook — Open — Single Sided Solid or with Accessory Slot	
AAOC-S	Accessories - Personal Storage Hook	
AAOD-S	Accessories - Magnetic Divider	
AAOP-S	Accessories - File Partition	34
AAOR-S	Suspended Storage - Ender Accessories — Reference Shelf	
AAOS-S	Accessories - Shelf Divider	34
AAOT-S	Accessories – Drawer Tray	34
AHDD-SU	Suspended Storage - Security Drawer	
AHEA	Suspended Storage - Ender — Box/Open or Box/File	
AHEC	Suspended Storage - Ender — Box/Open or Box/File	
AHPA	Suspended Storage - Pedestal — Box/File Drawers	
AHPZ-S	Suspended Storage - Pedestal — Open or Open with Box Drawer	
ALDP-F	Accessories - Drawer Liner	
ALTD-S	Suspended Storage - Security Drawer — Top Liner — Security Drawer	
ALTE-S	Suspended Storage - Ender Accessories — Top Liner	
ALTP-S	Suspended Storage - Pedestal Accessories — Top Liner	
AU1A-14	Desk-Height Storage - Nook — Open — Single Sided Solid or with Accessory Slot	
AU1B-S	Desk-Height Storage - Nook — Enclosed — Single Sided Solid or with Accessory Slot	
AU2A-S	Desk-Height Storage - Nook — Open — Dual Sided Solid or with Accessory Slot	
AU2B-S	Desk-Height Storage - Nook — Enclosed — Dual Sided Solid or with Accessory Slot	
AUF1-SA	Screens - Personal Divider with Drawer	
AUSA	Screens - Inner Accessory Screen	
AUSC	Screens - Corner Screen	
AUSK	Desk-Height Storage Support – Intuity Benching and A Series Storage — Stanchion	
AUSN	Desk-Height Storage - Shelf	
AUSR	Screens - Center Screen	
AUST	Screens - Territory Screen	
AZSE	Floating Shelves – External Mount	
	<u> </u>	
BABD	Desk-Height Storage Support - Intuity Benching — Accessory Rail Mounting Bracket Kit, Double Sided	
EUDX-U000-B	Electrical Components - Retrofit USB Charging Cable	
EUER-15	Electrical Components - Triplex Receptacle — 15 Amp	
EUER-20	Electrical Components - Triplex Receptacle — 20 Amp	
EUM1-PF0B	Electrical Components - Mini Tap — Corded and Hardwire	
UZCC-AA	Desk-Height Storage Support – Compose Full Panel — Off-Modular Rail Mounting — Off-Modular Mounting - Compose Full Panel to Nook	
UZCC-AAS	Desk-Height Storage Support – Compose Full Panel — Off-Modular Mounting — Spacer — Compose Full Panel to Nook	
UZCC-AAZ	Desk-Height Storage Support – Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — Off-Modular Rail — Compose to Open Nook	
UZRC-0000	Desk-Height Storage Support – Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail Mounting — End Cap, Off-Modular Rail — Open Nook	
ZBBB	Desk-Height Storage Support - Intuity Benching — Worksurface to Storage Bracket — without Access Hatcl	h17
ZBBM	Desk-Height Storage Support – Intuity Benching — Worksurface to Storage Bracket — Access Hatch Mid-M Mount	
ZVBM-PWN	Desk-Height Storage Support - Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount — Worksurface to Storage Bracket	
ZVBM-PZN	Desk-Height Storage Support – Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail  Mounting — Worksurface to Storage Bracket	
ZZBP-PAN	Desk-Height Storage Support - Compose 26"(660mm)H Panel, Connections and Beam — Centered Single	
ZZBP-PAZ	Panel Mount — Stanchion — Standard Aluminum Top Trim  Desk-Height Storage Support - Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail	

## Index

Product Code	Product Description	Page
ZZBP-PGN	Desk-Height Storage Support - Compose 26"(660mm)H Panel, Connections and Beam — Centered Single Panel Mount — Stanchion — Work Rail Top Trim	18
ZZBP-PGZ	Desk-Height Storage Support – Compose 26"(660mm)H Panel, Connections and Beam — Off-Modular Rail  Mounting — Off-Modular Stanchion — Work Rail Top Trim	2

This Page Intentionally Left Blank

## **Product Compatibility and Limited Warranty Policy**

#### **Great Expectations**

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

#### Our Commitment To Product Compatibility - Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

#### Our Commitment To Product Quality - The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to: www.haworth.com/warranty or contact OneTouch@Haworth.com or 1877 429 6784.

#### Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer. If you are unsure who your dealer is, please contact **OneTouch@Haworth.com or 1877 429 6784**.

Effective: September 1, 2021

## **Terms of Sale**

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact OneTouch@Haworth.com or 1877 429 6784.

Effective: September 2, 2022



<code>HAWORTH\*</code> is a registered trademark of Haworth, Inc. @ Haworth, Inc. All rights reserved. 2023 2.23 | Item #LIT21003 haworth.com | 800 344 2600